

Amendments to the Claims:

1. (Currently Amended) A system for requesting a resource over at least one network, the system comprising:

~~a terminal capable of sending including a client application and configured to send~~ a first request for the resource over a first network and a second network;

~~a host capable of receiving configured to receive~~ the first request, and thereafter sending ~~send~~ a first response, wherein the first request identifies the resource at a first location on the host; and

~~a network proxy capable of communicating configured to communicate~~ with the host over the second network independent of the first network, wherein the network proxy is ~~capable of receiving configured to receive~~ the first response from the host, wherein the network proxy is ~~capable of reformulating configured to reformulate~~ the first request into a second request that identifies the resource at a second location, and wherein the network proxy is ~~capable of sending configured to send~~ the second request to a host of the resource at the second location such that the host of the resource at the second location ~~can respond responds~~ to the second request with a second response; and

a terminal proxy configured to communicate with the client application independent of the first network, wherein the terminal proxy is configured to receive the first response and the second response from the network proxy, wherein the terminal proxy is configured to send the first response to the client application such that, in response to the first response, the client application reformulates the first request into a third request that identifies the resource at a second location, and wherein the client application is configured to send the third request to the terminal proxy such that the terminal proxy sends the second response to the client application.

2. (Currently Amended) A system according to Claim 1, wherein the ~~terminal is~~ terminal ~~is capable of sending the first request over a first network comprising comprises~~ a wireless network, and ~~a the~~ second network ~~comprising comprises~~ a wireline network.

3. (Currently Amended) A system according to Claim 2, wherein the terminal is ~~capable of sending configured to send~~ a first hypertext transfer protocol (HTTP) request, and wherein the host is ~~capable of sending configured to send~~ a first HTTP response that includes a 3xx "Redirection" status code.

4. (Currently Amended) A system according to Claim 1, wherein the network proxy is ~~capable of examining configured to examine~~ the first response to determine if the first response identifies the resource at the second location, and if the first response does not identify the resource at the second location, ~~sending send~~ the first response to the terminal, and wherein the network proxy is ~~capable of reformulating configured to reformulate~~ the request and ~~sending send~~ the second request if the first response does identify the resource at the second location.

5. (Currently Amended) A system according to Claim 4, wherein the terminal is ~~capable of sending configured to send~~ a first hypertext transfer protocol (HTTP) request, wherein the host is ~~capable of sending configured to send~~ a first HTTP response, and wherein the network proxy is ~~capable of examining configured to examine~~ the first response to determine if the first response includes a 3xx "Redirection" status code to thereby determine if the first response identifies the resource at the second location.

6. (Cancelled)

7. (Currently Amended) A system according to Claim-6_1, wherein the network proxy is ~~capable of compressing configured to compress~~ at least one of the first response and ~~or~~ the second response before the terminal proxy receives the first response and second response, and wherein the terminal proxy is ~~capable of uncompressing configured to uncompress~~ the compressed at least one of the first response and ~~or~~ the second response before sending the respective response to the client application.

8. (Currently Amended) A method of requesting a resource over at least one

network, the method comprising:

sending a first request for the resource from a terminal to a host over a first network and a second network, the terminal including a client application, the first request identifying the resource at a first location on the host;

receiving a first request at the host, and thereafter sending a first response;

receiving the first response at a network proxy, wherein the first response is sent by the host and received at the network proxy over the second network independent of the first network; and

reformulating the first request into a second request at the network proxy that identifies the resource at a second location, and thereafter sending the second request to a host of the resource at the second location such that the host of the resource at the second location ~~can~~ respond-responds to the second request with a second response;

sending the first response and the second response to a terminal proxy;

sending the first response to the client application such that, in response to the first response, the client application reformulates the first request into a third request that identifies the resource at a second location;

sending the third request from the client application to the terminal proxy, and thereafter sending the second response to the client application,

wherein sending the first response to the client application, sending the third request to the terminal proxy and sending the second response to the client application occur independent of the first network.

9. (Currently Amended) A method according to Claim 8, wherein ~~sending a first request comprises sending a first request over a~~ the first network comprising-comprises a wireless network and ~~a~~ the second network comprising-comprises a wireline network.

10. (Original) A method according to Claim 9, wherein sending a first request comprises sending a first hypertext transfer protocol (HTTP) request, and wherein sending a first response comprises sending a first HTTP response that includes a 3xx "Redirection" status code.

11. (Original) A method according to Claim 8 further comprising:
examining the first response to determine if the first response identifies the resource at the second location; and
sending the first response to the terminal if the first response does not identify the resource at the second location,
wherein reformulating the request and sending the second request occur if the first response does identify the resource at the second location.

12. (Original) A method according to Claim 11, wherein sending a first request comprises sending a first hypertext transfer protocol (HTTP) request, wherein sending a first response comprises sending a first HTTP response, and wherein examining the first response comprises examining the first response to determine if the first response includes a 3xx "Redirection" status code to thereby determine if the first response identifies the resource at the second location.

13. (Cancelled)

14. (Currently Amended) A method according to Claim 13 further comprising:
compressing at least one of the first response and/or the second response before sending the first response and second response to the terminal proxy; and
uncompressing the compressed at least one of the first response and/or the second response before sending the respective response to the terminal.

15. (Currently Amended) ~~A network proxy~~ An apparatus comprising:
a processor ~~capable of communicating~~ configured to communicate with a host over a second network independent of a first network, wherein the processor is ~~capable of receiving~~ configured to receive a first response from the host, wherein the first response is responsive to a first request sent from a terminal to the host over the first network and the second network,

wherein the first request identifies a resource at a first location on the host, wherein the processor is ~~capable of reformulating~~ configured to reformulate the first request into a second request that identifies the resource at a second location, and thereafter ~~sending~~ send the second request to a host of the resource at the second location such that the host of the resource at the second location ~~can respond~~ responds to the second request with a second response,

wherein the terminal includes a terminal proxy, and wherein the processor is configured to send the first response and the second response to the terminal proxy.

16. (Currently Amended) ~~A network proxy~~ An apparatus according to Claim 15, wherein the processor is ~~capable of receiving~~ configured to receive a first response from the host that identifies the resource at the second location.

17. (Currently Amended) ~~A network proxy~~ An apparatus according to Claim 16, wherein the first request comprises a first hypertext transfer protocol (HTTP) request, and wherein the processor is ~~capable of receiving~~ configured to receive a first HTTP response from the host that includes a 3xx "Redirection" status code.

18. (Currently Amended) ~~A network proxy~~ An apparatus according to Claim 15, wherein the processor is ~~capable of examining~~ configured to examine the first response to determine if the first response identifies the resource at the second location, and if the first response does not identify the resource at the second location, ~~sending~~ send the first response to the terminal, and wherein the processor is ~~capable of reformulating~~ configured to reformulate the request and ~~sending~~ send the second request occur if the first response does identify the resource at the second location.

19. (Currently Amended) ~~A network proxy~~ An apparatus according to Claim 18, wherein the first request comprises a first hypertext transfer protocol (HTTP) request, wherein the processor is ~~capable of receiving~~ configured to receive a first HTTP response from the host, and wherein the processor is ~~capable of examining~~ configured to examine the first response to

determine if the first response includes a 3xx "Redirection" status code to thereby determine if the first response identifies the resource at the second location.

20. (Cancelled)

21. (Currently Amended) ~~A network proxy~~ An apparatus according to Claim 20, 15, wherein the processor is ~~capable of compressing~~ configured to compress at least one of the first response ~~and/or~~ the second response before sending the first response and second response to the terminal proxy.

22. (Currently Amended) ~~A terminal~~ An apparatus for requesting a resource over at least one network, the ~~terminal apparatus~~ comprising:

a client application ~~capable of sending~~ configured to send a first request for the resource to a host over the first network and the second network, the first request identifying the resource at a first location on the host, wherein the client application is ~~capable of sending~~ configured to send the first request in a manner so that the host ~~can send~~ sends a first response that a network proxy ~~can receive~~ receives over the second network independent of the first network, reformulate into a second request that identifies the resource at a second location, and send the second request to a host of the resource at the second location such that the host of the resource at the second location ~~can respond~~ responds to the second request with a second response; and

a terminal proxy ~~capable of communicating~~ configured to communicate with the client application independent of the first network, wherein the terminal proxy is ~~capable of receiving~~ configured to receive the second response and thereafter ~~sending~~ send the second response to the client application,

wherein the terminal proxy is also configured to receive the first response, wherein the terminal proxy is configured to send the first response to the client application such that, in response to the first response, the client application reformulates the first request into a third request that identifies the resource at a second location, and wherein the client application is configured to send the third request to the terminal proxy such that the terminal proxy sends the

second response to the client application.

23. (Cancelled)

24. (Currently Amended) ~~A terminal~~ An apparatus according to Claim ~~23~~ 22, wherein the terminal proxy is ~~capable of receiving~~ configured to receive at least one of the first response ~~and/or~~ the second response compressed such that the terminal proxy ~~can uncompress~~ uncompresses the compressed at least one of the first response ~~and/or~~ the second response before sending the respective response to the client application.

25. (Currently Amended) A computer program product comprising a computer-readable storage medium having computer-readable program code portions stored therein, the computer-readable program code portions comprising:

a first executable portion ~~for receiving~~ configured to receive a first response from a host over a second network independent of a first network, wherein the first response is responsive to a first request sent from a terminal to the host over the first network and the second network, wherein the first request identifies a resource at a first location on the host, and wherein the terminal includes a terminal proxy;

a second executable portion ~~for reformulating~~ configured to reformulate the first request into a second request that identifies the resource at a second location; ~~and~~

a third executable portion ~~for sending~~ configured to send the second request to a host of the resource at the second location such that the host of the resource at the second location ~~can respond~~ responds to the second request with a second response; and

a fourth executable portion configured to send the first response and the second response to the terminal proxy.

26. (Currently Amended) A computer program product according to Claim 25, wherein the first executable portion is ~~adapted~~ configured to receive the first response from the host that identifies the resource at the second location.

27. (Currently Amended) A computer program product according to Claim 26, wherein the first request comprises a first hypertext transfer protocol (HTTP) request, and wherein the first executable portion is ~~adapted-configured~~ to receive a first HTTP response from the host that includes a 3xx "Redirection" status code.

28. (Currently Amended) A computer program product according to Claim 25 further comprising:

a ~~fourth-fifth~~ executable portion ~~for examining-configured to examine~~ the first response after the first executable portion receives the first response, wherein the ~~fourth-fifth~~ executable portion is ~~adapted-configured~~ to examine the first response to determine if the first response identifies the resource at the second location; and

a ~~fifth-sixth~~ executable portion ~~for sending-configured to send~~ the first response to the terminal if the first response does not identify the resource at the second location,

wherein the second executable portion is ~~adapted-configured~~ to reformulate the request, and the third executable portion is ~~adapted-configured~~ to send the second request, if the first response does identify the resource at the second location.

29. (Currently Amended) A computer program product according to Claim 28, wherein the first request comprises a first hypertext transfer protocol (HTTP) request, wherein the first executable portion is ~~adapted-configured~~ to receive a first HTTP response from the host, and wherein the ~~fourth-fifth~~ executable portion is ~~adapted-configured~~ to examine the first response to determine if the first response includes a 3xx "Redirection" status code to thereby determine if the first response identifies the resource at the second location.

30. (Cancelled)

31. (Currently Amended) A computer program product according to Claim ~~30-25~~ further comprising:

a fifth executable portion ~~for compressing~~ configured to compress at least one of the first response ~~and or~~ the second response before the fourth executable portion sends the first response and second response to the terminal proxy.

32. (Currently Amended) A computer program product for requesting a resource over at least one network, the computer program product comprising a computer-readable storage medium having computer-readable program code portions stored therein, the computer-readable program code portions comprising:

a first executable portion ~~for sending~~ configured to send a first request for the resource to a host over the first network and the second network, the first request identifying the resource at a first location on the host, wherein the first executable portion is ~~adapted~~ configured to send the first request in a manner so that the host ~~can send~~ sends a first response that a network proxy ~~can receive~~ receives over the second network independent of the first network, ~~reformulate~~ reformulates into a second request that identifies the resource at a second location, and ~~send~~ sends the second request to a host of the resource at the second location such that the host of the resource at the second location ~~can respond~~ responds to the second request with a second response; and

a second executable portion ~~for communicating~~ configured to communicate with the first executable portion independent of the first network, wherein the second executable portion is ~~adapted~~ configured to receive the second response and thereafter send the second response to the first executable portion,

wherein the second executable portion is configured to also receive the first response and thereafter send the first response to the first executable portion, wherein the second executable portion is configured to send the first response to the first executable portion such that, in response to the first response, the first executable portion reformulates the first request into a third request that identifies the resource at a second location, and wherein the first executable portion is configured to send the third request to the second executable portion such that the second executable portion sends the second response to the first executable portion.

33. (Cancelled)

34. (Currently Amended) A computer program product according to Claim ~~33~~ 32, wherein the second executable portion is ~~adapted~~ configured to receive at least one of the first response ~~and/or~~ the second response compressed, and wherein the second executable portion is ~~adapted~~ configured to uncompress the compressed at least one of the first response ~~and/or~~ the second response before sending the respective response to the first executable portion.

35. (New) A system according to Claim 1, wherein the first response sent from the host, received at the network proxy, received at the terminal proxy and sent from the terminal proxy to the client application of the terminal includes a redirection to the host of the resource at the second location from which to receive the resource to complete the first request.

36. (New) A method according to Claim 8, wherein the first response sent from the host, received at the network proxy, sent to the terminal proxy and sent to the terminal includes a redirection to the host of the resource at the second location from which to receive the resource to complete the first request.

37. (New) A terminal according to Claim 22, wherein the first response sent from the host, received at the network proxy, received by the terminal proxy and sent from the terminal proxy to the client application includes a redirection to the host of the resource at the second location from which to receive the resource to complete the first request.

38. (New) A computer program product according to Claim 32, wherein the first response sent from the host, received at the network proxy, received by the second executable portion and sent to the first executable portion includes a redirection to the host of the resource at the second location from which to receive the resource to complete the first request.